

INDEX MAPS.

T. 6 N. R. 10 E. 2nd Mer.

	7	7	7	6	6	6
11	6 31	5 31	4 32	3 32	2 18	1 5
	31	30	25	22	21	17
10	7 30	8 25	9 22	10 21	11 17	12 5
	30	29	25	21	17	14
10	18 29	17 24	16 20	15 16	14 13	13 5
	28	28	24	20	16	13
9	19 28	20 24	21 19	22 16	23 13	24 4
	27	27	23	19	15	12
9	30 27	29 23	28 19	27 15	26 12	25 4
	26	26	23	18	15	12
9	31 26	32 22	33 18	34 14	35 11	36 3
	3	3	3	2	2	2

T. 7 N. R. 10 E. 2nd Mer.

	39	40	40	40	40	40
45	6 65	5 60	4 56	3 52	2 50	1 39
	65	64	59	56	52	50
44	7 64	8 59	9 55	10 52	11 50	12 39
	64	63	59	55	51	50
44	18 63	17 58	16 55	15 51	14 49	13 38
	62	62	58	54	49	47
44	19 62	20 57	21 54	22 49	23 47	24 38
	61	61	57	54	48	46
43	30 61	29 57	28 53	27 48	26 46	25 38
	61	60	57	53	48	46
43	31 60	32 56	33 53	34 47	35 46	36 37
	36	35	35	35	35	35

The figures on the lines refer to the page.

1

Township N. 6 North, Range N. 10 East Mer. Indiana
Ch. 11.

South Boundary.

East On Rand^m. S. boundary Sec. 31

40.00 Set temp^y. of Sec. post

59.42 a Brook 25 lⁿs. wide Course S. W.

80.00 Set temp^y. Cor. to Sec^s. 31 & 32

Land level timber Beech, Oak, Poplar &c.

East On Rand^m. S. boundary of Sec. 32

40.00 Set temp^y. of Sec. post

43.50 a Brook 10 lⁿs. wide Cr^s. S. W.

45.50 a bend of brook from S. E. 6 lⁿs. wide

64.20 Same brook line run up it, cross it several times

71.50 leave brook from N. E.

80.00 Set temp^y. Cor. to Sec^s. 32 & 33

Land level, timber Beech, Oak, Anger,
Poplar &c.

East On Rand^m. S. boundary of Sec. 33

40.00 Set temp^y. of Sec. post

61.10 a Brook 8 lⁿs. wide Course S. W.

80.00 Set temp^y. Cor. to Sec^s. 33 & 34

Land timber &c. same as on the last mile

East On Rand^m. S. boundary of Sec. 34

32.20 a Brook 5 lⁿs. wide Course S. E.

40.00 Set temp^y. of Sec. post

79.75 a Brook 20 lⁿs. wide Cr^s. S.

80.00 Set temp^y. Cor. to Sec^s. 34 & 35

Land broken with points of hills, timber
Beech, Oak, Anger, Poplar &c.

East On Rand^m. S. boundary of Sec. 35

4.20 a Brook 4 lⁿs. wide Course S.

28.60 a Do. 8 " " " S. E.

40.00 Set temp^y. of Sec. post

49.00 a Creek 40 lⁿs. wide Course S 80° W, comes up

2

St. N. N 10 E. 2^d. Mer. Indiana

chs. lth

it North, & take this to be a branch of W. river
 68.90 a Brook 8 lth. wide Course S.
 75.34 a Do. 6 " " " N.W.
 80.00 Let temp. Cor. to Sect. 35 of 36
 Land nearly level, timber Beech, Oak,
 Sugar, Poplar &c

East On Rand^m. S. boundary of Sec. 36

40.00 Let temp. of Sec. post
 67.00 a Brook 30 lth. wide Course S.W. branch of Ind. Riv.
 80.60 Let 278 lth. S. of post Cor. to Town 5 of 6 North
 Range 10 of 11 East Land generally level
 & rich, timber Beech, Oak, Poplar Oak &c.

True Sine var. 5° 30' E.

West On S. boundary of Sec. 36

40.00 Let of Sec. post, from which
 a Beech 12 in. diam. bran N 6 E 12 lth. dist. of
 a Sugar 24 " " " S 25 E 20 " "
 80.00 Let post Cor. to Sect. 35 of 36, from which
 a Sugar 24 in. diam. bran N 55 W 27 lth. dist. of
 a Poplar 54 " " " East 23 " "

West On S. boundary of Sec. 35

40.00 Let of Sec. post, from which
 a Poplar 60 in. diam. bran S 1 E 14 lth. dist. of
 a Do. 42 " " " N 39 W 34 " "
 80.00 Let post Cor. to Sect. 34 of 35, from which
 a Beech 24 in. diam. bran N 55 W 27 lth. dist. of
 a Do. 9 " " " S 74 E 42 " "
 November 3rd 1806

West On S. boundary of Sec. 34

40.00 Let of Sec. post, from which
 a Poplar 56 in. diam. bran N 37 W 18 lth. dist. of
 a Beech 8 " " " S 39 E 35 " "

Sec. 10 E. 2^d. Mer. Indiana ³
ch. 1st 1/2
80.00 Let post Cor. to Sec. 33 of 34, from which
a Beech 15 in. dia. brang N 69° 16' 00" E. dist. of
a Gum 30 " " " S 54° 12' 00" " "

West On S. boundary of Sec. 33
40.00 Let gr. Sec. post, from which
a Maple 9 in. dia. brang N 54° 11' 20" E. dist. of
a W. Oak 24 " " " S 26° 00' 00" " "
80.00 Let post Cor. to Sec. 32 of 33, from which
a Sugar 12 in. dia. brang N 51° 11' 24" E. dist. of
a Beech 8 " " " S 81° 00' 00" " "

West On S. boundary of Sec. 32
40.00 Let gr. Sec. post, from which
a Beech 36 in. dia. brang N 42° 11' 00" E. dist. of
a Do. 16 " " " S 52° 00' 00" " "
43.40 a W. Oak 15 " " " " " " " " " "
80.00 Let post Cor. to Sec. 31 of 32, from which
a Beech 16 in. dia. brang N 12° 11' 21" E. dist. of
a do. 8 " " " " S 68° 00' 00" " "

West On S. boundary of Sec. 31
40.00 Let gr. Sec. post, from which
a Beech 16 in. dia. brang N 68° 11' 21" E. dist. of
a do. 7 " " " " S 27° 00' 00" " "
80.60 to Township Corner

East Boundary. var. 5° 30' E.
North On E. boundary of Sec. 36
7.25 a Brook 5 in. wide Corner W.
17.95 a do. 5 " " " " W.
26.14 a Creek 30 " " " " S 10° 00' 00"
29.90 a Beech 12 in. dia.
40.00 Let gr. Sec. post, from which
an Ash 22 in. dia. brang N 28° 00' 00" E. dist. of
a Gum 22 " " " " N 61° 11' 27" " "

4 St. N W E. 2^d. Mer. Indiana

ch. P. Lk.

47.33 a Beech 24 in. diam.

48.90 a Brook 5 lks. wide Course E.

55.42 a Beech 28 in. diam.

63.50 a Brook 5 lks. wide Course E.

67.50 a Do 5 " " " E.

80.00 Set post Cor. to Sec. 25 & 36, from which
a Chestnut 36 in. diam. bears N 31° W 10 lks. dist. &
a Beech 13 " " " S 65° E 36 " "
Land broken, timber Beech, Oak, Poplar
Some ash, Chestnut &c.

North On E. boundary of Sec. 25

7.30 a Brook 4 lks. wide Course S. E.

12.75 a Do. 3 " " " S. E.

17.20 a Maple 30 in. diam.

40.00 Set of Sec. post, from which
a Beech 14 in. diam. bears N 36° W 32 lks. dist. &
a Do. 14 " " " S 46° E 10 " "

62.60 a Maple 18 " " "

80.00 Set post Cor. to Sec. 24 & 25, from which
a Sugar 36 in. diam. bears N 18° W 14 lks. dist. &
a Beech 14 " " " S 22° W 29 " "
Land flat, timber Beech, Oak, Gum,
Oak, Poplar &c. November 17th. 1806

North On E. boundary of Sec. 24

4.55 a Brook 40 lks. wide runs S.

23.73 a Beech 24 in. diam.

27.48 a Brook 6 lks. wide Course S. W.

40.00 Set of Sec. post, from which
a Poplar 10 in. diam. bears N 74° E 20 lks. dist. &
a W. Oak 6 " " " S 18° W 33 " "

47.05 a Beech 28 " " "

56.50 a Brook 10 lks. wide Course W.

67.54 a Sweet Gum 36 in. diam.

80.00 Set post Cor. to Sec. 13 & 24, from which

5

St. N. R. W. E. 2. Mer. Indiana
 ch. 2. 1/2 m
 a Beech 36 in. dia. - bray N 86 E 5 1/2 m. dist. of
 a do. 30 " " " N 73 W 24 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 13

6.80 a Brook 15 m. wide Course S. W.
 24.70 a Beech 13 in. dia.
 40.00 at gr. Sec. post, from which
 a Sugar 13 in. dia. - bray S 12 W 15 m. dist. of
 a Beech 8 " " " N 66 1/2 E 27 " "
 54.71 a P. Gum 15 " "
 57.14 a Brook 4 m. wide Course W.
 73.75 a Brook 20 " " " S 10 W. line runs up it -
 80.00 at post Cor. to Sec. 12 & 13, from ^{to the corner} which
 a Beech 28 in. dia. - bray S 32 W 55 m. dist. of
 a Hickory 7 " " " N 15 E 30 " "
 Sand level, timber Beech, Oak, Hickory
 Poplar &c. underg. Same with Spruce, Dog-
 wood &c. very thick.

North On E. boundary of Sec. 12

10.50 Same brook Course up it S. E.
 17.45 Same do. line runs up it crossing it several times
 33.58 a Poplar 20 in. dia.
 40.00 at gr. Sec. post, from which
 a Beech 22 in. dia. - bray N 52 E 34 m. dist. of
 a do. 20 " " " S 27 W 45 " "
 54.78 a Poplar 24 " "
 80.00 at post Cor. to Sec. 11 & 12, from which
 a P. Gum 15 in. dia. - bray S 5 W 13 1/2 m. dist. of
 a do. 16 " " " N 31 E 25 " "
 * at gr. Sec. Cor. a Creek 100 m. E. of line
 Sand flat, timber Beech, Maple, Hickory
 Oak, Gum &c.

North On E. boundary of Sec. 1

Twp. R10E, T2N, Mer. Indiana

ch. lks

- 14.45 a Maple 28 in. dia.
 40.00 Set of Sec. post, from which
 a Maple 18 in. dia. bear S 78° W 10 lks. dist. of
 a Beech 13 " " " S 62° E 27 " "
 49.15 a S. Gum 28 " "
 57.25 a Brook 10 lks. wide Course S. W.
 66.35 a W. Oak 36 in. dia.
 80.00 Set post Cor. to Township 6 & 7 North
 Range, 10 & 11 East, from which
 a S. Gum 18 in. dia. bear S 40° E 13 lks. dist. of
 a Beech 8 " " " S 23° W 28 " "
 Sand timber &c. same as on the last mile

- West North Boundary
 S 89° W On Randm. S. boundary of Sec. 36, T2N, R10E
 8.15 a Brook 5 lks. wide Course S. W.
 20.45 a do. 35 " " " S 80° E
 40.00 Set temp. of Sec. post
 42.64 a Brook 4 lks. wide Course S.
 80.00 Set temp. Cor. to Sec. 35 & 36
 Sand flat, timber Beech, Oak, Hickory
 Ash &c.

- S 89° W On Randm. S. boundary of Sec. 35, T2N, R10E.
 40.00 Set temp. of Sec. post
 50.00 a Brook 3 lks. wide Course N.
 80.00 Set temp. Cor. to Sec. 34 & 35
 Sand level, timber Beech, Sugar, Oak,
 Poplar, Hickory, Ash &c.

- S 89° W On Randm. S. boundary of Sec. 34, T2N, R10E
 13.73 a Creek 100 lks. wide Course S. W.
 40.00 Set temp. of Sec. post
 59.45 a Brook 10 lks. wide Course S. E.
 80.00 Set temp. Cor. to Sec. 33 & 34
 Sand waving, timber Beech, Sugar, Poplar

7

T. C. N. R. 10. E. 2. Mer. Indiana

ch. 1. 1/2
Oak, Hickory &c. Nov. 18th. 1886

S 89 1/2 W On Rand^m. S. boundary of Sec. 33, T 7 N. R 10 E
23.00 a Brook 8 lks. wide Course S.
40.00 Let temp^y. q^r. Sec. post
68.55 at Brook 5 lks. wide Course S. W.
80.00 Let temp^y. Cor. to Sec. 32 & 33
Land flat, timber Beech, Oak, Poplar, Hickory &c.

S 89 1/2 W On Rand^m. S. boundary of Sec. 32, T 7 N. R 10 E.
40.00 Let temp^y. q^r. Sec. post
80.00 Let temp^y. Cor. to Sec. 31 & 32
Land timber &c. same as on the last mile

S 89 1/2 W On Rand^m. S. boundary of Sec 31, T 7 N. R 10 E.
40.00 Let temp^y. q^r. Sec. post
74.00 a Brook 15 lks. wide Course S. E.
84.75 Full 10 chains N. of post. Suspecting a
mistake in the measure, chained the two
last lines over, and found the measure correct
November 19th. 1886

True Line. var. 5° 30' E.

East On S. boundary of Sec. 31, T 7 N. R 10 E
44.75 Let q^r. Sec. post, from which
a Beech 12 in. dia. bran N 15 1/2 W 30 lks. dist. of
a do. 14 " " " S 25 E 4 " "
84.75 Let post Cor. to Sec. 31 & 32, T 7 N. R 10 E from
which a Beech 6 in. dia. bran S 7 1/2 W 13 lks. dist. of
a do. 12 " " " N 22 1/2 W 7 " "

East On S. boundary of Sec. 32, T 7 N. R 10 E.
5.20 a Poplar 20 in. dia.
40.00 Let q^r. Sec. post, from which
a Beech 8 in. dia. bran N 55 1/2 W 17 lks. dist. of
a do. 20 " " " S 2 E 20 " "

Post R10 E. 2^d Mer. Ind.

Ch² My

80.00 Let post Cor. to Sec. 32 & 33, T¹ N. R10 E, from which
a Beech 24 in. dia. bears N5E 22 lks. dist. of
a do. 12 " " " S72E 7 " "

East On S. boundary of Sec. 33, T¹ N. R10 E.

40.00 Let of Sec. post, from which
a Sugar 9 in. dia. bears N31E 11 lks. dist. of
a Beech 6 " " " S24W 30 " "

80.00 Let post Cor. to Sec. 33 & 34, T¹ N. R10 E, from which
a Lym 7 in. dia. bears N38E 30 lks. dist. of
a Beech 16 " " " S4W 41 " "

East On S. boundary of Sec. 34, T¹ N. R10 E.

40.00 Let of Sec. post, from which
a Maple 16 in. dia. bears N21W 14 lks. dist. of
an Elm 9 " " " S49E 11 " "

80.00 Let post Cor. to Sec. 34 & 35, T¹ N. R10 E, from which
a Sugar 10 in. dia. bears N15W 14 lks. dist. of
a Beech 7 " " " S50E 10 " "

East On S. boundary of Sec. 35, T¹ N. R10 E.

40.00 Let of Sec. post, from which
a Poplar 9 in. dia. from which
a Beech 7 in. dia. bears S48W 26 lks. dist. of

80.00 Let post Cor. to Sec. 35 & 36, T¹ N. R10 E, from which
an Elm 13 in. dia. bears N44W 23 lks. dist. of
a Beech 5 " " " S21E 13 " "

East On S. boundary of Sec. 36, T¹ N. R10 E.

40.00 Let of Sec. post, from which
a Beech 11 in. dia. bears S11W 24 lks. dist. of
a do. 6 " " " N2E 3 " "

65.00 a Beech 24 " "

80.00 To Township Corner.

November 30th 1806

9
S 6 N R 10 E. 2^d. Mer. Indiana
ch. 1st 1/2

Nest Boundary.

November 14th 1886. var. 5° 30' E
North On E. boundary of Sec. 36, T 6 N, R 9 E.
17.40 a Brook 8th wide Cr. S. W.
19.85 a Poplar 38 m. dia.
23.15 a Brook 10th wide Cr. S. W.
40.00 Let gr. Sec. post, from which
a W. Oak 18 m. dia. bear N 86 E 30th dist. of
a dog. 16 " " " S 59 W 14 " "
50.58 a S. Gum 24 " "
56.25 a W. Oak 30 " "
69.00 a Brook 10th wide Cr. W
80.00 Let post Cor. to Sec. 25 & 36, T 6 N, R 9 E, from which
a B. Oak 24 m. dia. bear N 22 E 8th dist. of
a Beech 20 " " " S 41 W 25 " "
Land flat, timber Beech, Oak, Maple, Gum
Poplar &c.

North On E. boundary of Sec. 25, T 6 N, R 9 E.
00.92 a Beech 20 m. dia.
16.20 a Brook 15th wide Course S. W.
32.54 a Beech 28 m. dia.
40.00 Let gr. Sec. post, from which
a Dogwood 8 m. dia. bear N 73 W 12th dist. of
a Beech 30 " " " S 18 E 28 " "
56.22 a Creek 60th wide Course S. W.
80.00 Let post Cor. to Sec. 24, 25, T 6 N, R 9 E, from which
a Beech 17 m. dia. bear S 12 E 5th dist. of
a dog. 16 " " " S 59 W 34 " "
Land waving, timber Beech, Sugar, Poplar, Ash &c.

North On E. boundary of Sec. 24, T 6 N, R 9 E.
16.12 a W. Oak 28 m. dia.
28.40 a Poplar 42 " "
37.75 a Brook 3th wide Course E.
40.00 Let gr. Sec. post, from which

T6 N. R10 E. 2nd. Mer. Indiana

Ch. lky

- at Beech 12 mi. dist. by N 17 W 17 lks. dist. of
 a do. 9 " " " N 16 W 21 " "
 56.38 at Beech 20 " " "
 80.00 at post, Cor. to Sec. 13 & 24, T6 N. R9 E, from which
 at Beech 8 mi. dist. by N 68 E 13 lks. dist. of
 a Poplar 36 " " " S 59 W 31 " "
 Land level, timber Beech, Oak, Hick. Poplar &c.

North On E. boundary of Sec. 13, T6 N. R9 E.

- 00.75 at Beech 24 mi. dist.
 13.30 at do. 24 " "
 19.50 at Brook 12 lks. wide Course N.W.
 40.00 at post, Sec. post, from which
 at Beech 7 mi. dist. by N 67 E 19 lks. dist. of
 a Poplar 18 " " " S 35 W 16 " "
 45.25 at Brook 10 lks. wide C.W.
 60.54 at Beech 24 mi. dist.
 70.10 at Brook 4 lks. wide Course W.
 80.00 at post Cor. to Sec. 12 & 13, T6 N. R9 E, from which
 at Beech 20 mi. dist. by N 31 E 25 lks. dist. of
 a do. 10 " " " S 8 E 13 " "
 Land waving, timber, Beech, Sugar, Oak, Hick. &c.

North On E. boundary of Sec. 12, T6 N. R9 E

- 3.90 at Brook 8 lks. wide runs W.
 29.80 at Creek 60 lks. " " W.
 40.00 at post, Sec. post, from which
 at Sugar 16 mi. dist. by N 29 E 3 lks. dist. of
 a do. 12 " " " N 64 W 14 " "
 67.67 at N. Oak 54 " "
 80.00 at post Cor. to Sec. 11 & 12, T6 N. R9 E, from which
 at S. Gum 30 mi. dist. by S 37 W 6 lks. dist. of
 a Beech 11 " " " N 1 E 12 " "
 Land level, timber Beech, Oak, Hickory,
 Gum, Poplar &c.

West R10E, 2nd Mer. Indiana 11

ch. 1/4

North On Co. boundary of Sec. 1, West R9E.

9.75 a Brook 6th. wide Course S. W.

13.47 a Beech 28 in. dia.

37.20 a Brook 8th. wide Course S. W.

40.00 At gr. Sec. post, from which

a Beech 11 in. dia. bray N 42 E 13th. dist. of

a do. 10 " " " S 52 W 10 " "

47.50 a Poplar 48 " "

60.10 a Brook 8th. wide Course W.

65.30 a Brook 10 " " S. W.

80.00 At post Cor. to Township 6 & 7 North Range

9 & 10 East, from which

a Beech 10 in. dia. bray N 8 1/2 E 21th. dist. of

a do. 14 " " " S 13 E 22 " "

Land waving, timber Beech, Angar, Oak, Hick.
Poplar &c.

November 16th. 1886

Surveyed By

John Brownson,

Deputy Surveyor

Subdivision.

North Between Secs. 35 & 36

11.90 a Beech 20 in. dia.

22.00 a Brook 8th. wide Course W.

40.00 At gr. Sec. post, from which

a Beech 24 in. dia. bray N 10 W 13th. dist. of

a do. 18 " " " S 71 E 21 " "

44.00 a Brook 10th. wide Course S. W.

50.13 a Beech 20 in. dia.

79.50 a Brook 40th. wide Course S. W.

80.00 At post Cor. to Secs. 25, 26, 35 & 36, from which

a Elm 12 in. dia. bray N 85 W 27th. dist. of

a Lycamore 18 " " " N 33 E 26 " "

High thin land, Beech & Angar, and gr. Spice
Ironwood &c.

12

St. RWE. 2.nd Mer. Indiana

ch. 2. 1/4

East On Rand^m. between Sec. 25 & 36

40.00 Set temp^y. of Sec. post

78.50 at Brook 6th wide Course S. E.

79.75 intersected the E. boundary 54th S. of post
Over level rich land, Beech, Sugar, Poplar
W & B. Oak &c. underg^d. Spruce &c.

West Corrected between Sec. 25 & 36

39.87¹/₂ Set of Sec. post at average dist. from which
a Beech 24 mi. dist. by S 68° E 22th dist. of
a Do. — " " " N 85° W 13 " "

59.86 a Poplar 65 " "

79.75 to Sec. Corner

North Between Sec. 25 & 26

11.14 a Beech 20 mi. dist.

40.00 Set of Sec. post, from which

a Beech 18 mi. dist. by N 15° E 10th dist. of
a Sugar 16 " " " S 62° W 30 " "

55.20 a Beech 16 " "

80.00 a Set post Cor. to Sec. 23, 24, 25 & 26, from which
a Beech 20 mi. dist. by S 84° W 43th dist. of
a Blk. Gum 15 " " " N 84° E 22 " "

First 1/2 mile hilly, Beech, W & B. Oak &c.
last 1/2 high rich land Beech, B & S. Gum &c.
underg^d. Beech, Spruce &c.

East On Rand^m. between Sec. 24 & 25

36.50 a Creek 56th wide Course S.

40.00 Set temp^y. of Sec. post

70.00 a Brook 3th wide Course S. W.

79.54 intersected E. boundary 19th N. of post

Over high rich land, Beech, Poplar &c. underg^d. Spruce

West Corrected between Sec. 24 & 25

39.50 a Beech 18 mi. dist.

13

West - N 10 E. 2nd Mer. Indiana

ch. 2nd 1/2

39.77 Set of Sec. post at average dist. from which
 a Beech 17 mi. dist. by N 34 E 19 lks. dist. of
 a Do. 16 " " " N 45 W 4 " "

79.54 to Sec. Corner.

North Between Sec. 23 & 24

24.50 a D. Gum 24 mi. dist.

40.00 Set of Sec. post from which
 a Beech 11 mi. dist. by N 76 1/2 W 9 lks. dist. of
 a Do. 18 " " " N 57 1/2 E 20 " "

67.74 a D. Gum 20 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 20 mi. dist. by N 2 W 29 lks. dist. of
 a Maple 25 " " " N 4 E 39 " "

First 1/2 mile Swamp, timber Beech &c.
 last 1/2 level thin soil Beech, W. Oak &c.
 underg^g. Ironwood &c.

East On Rand^m. between Sec. 13 & 24

18.00 a Brook 12 lks. wide Cor. S.

40.00 Set temp. of Sec. post

64.50 a Creek 40 lks. wide Cor. S. W

79.24 Intersected E. boundary 27 lks. N. of post
 The 1st 1/2 mile a Beech & Maple Swamp
 last 1/2 mile level rich land timber Beech,
 Poplar, Ash, Gum &c.

West Corrected between Sec. 13 & 24.

39.62 Set of Sec. post at average dist. from which
 a Beech 20 mi. dist. by N 55 W 4 lks. dist. of
 a Do. 11 " " " N 40 3/4 E 37 " "

41.92 a Maple 20 " "

79.24 to Sec. Corner November 24th 1806

North Between Sec. 13 & 14

12.60 a Beech 17 mi. dist.

Sb N R10 E. 2nd Mer. Indianach. 2nd 1/2

26.62 a P. Gum 19 m. dist.

40.00 Let gr. Sec. post, from which
a Beech 20 m. dist. bearing N 63° E 20 ch. dist. of
a Do. 8 " " " N 48° W 27 " "80.00 a Beech 8 m. dist. Cor. to Sec. 11, 12, 13, 14 from
which a Maple 20 m. dist. bearing S 72° W 4 ch. dist. of
a Beech 18 " " " N 72° E 37 " "Over level rich land, Beech, Ash, Gum,
W & N. Oak &c. undergth. Beech &c.East Out Land^m. between Sec. 12 & 13

35.00 a Brook 20 ch. wide Course S. E.

40.00 Let temp^y. gr. Sec. post79.18 Intersected at the post on E. boundary
Over level land, Beech, Poplar &c. undergth.
Spruce & Beech

West Corner between Sec. 12 & 13

0.50 a Brook 17 ch. wide Course S. E.

39.59 Let gr. Sec. post at average dist. from which
a Beech 10 m. dist. bearing S 3° E 3 ch. dist. of
a Do. 20 " " " N 44° W 18 " "

58.81 a Beech 24 " "

74.37 a Do. 17 " "

79.18 to Section Corner Nov. 25th 1806

North Between Sec. 34 & 35

14.90 a Sugar 12 m. dist.

40.00 Let gr. Sec. post, from which
a Beech 27 m. dist. bearing S 9° W 28 ch. dist. of
a Do. 25 " " " S 9° E 25 " "

53.70 a Beech 30 " "

80.00 Let post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 18 m. dist. bearing S 41° W 8 ch. dist. of
a Do. 18 " " " S 74° E 35 " "
Over level rich land, Beech, Maple, Ash

15

Plot N.W.E. 2^d Mer. Indiana
chth Blk Sweet Gum undngth Spruce &c.

East On Rand^m between Sec. 26 & 35
40.00 Set temp^y. of Sec. post
62.80 a Brook 15 lks. wide Course S.
81.37 Intersected the N & S. line 37 lks. S. of post
Over level rich land, Beech, Oak, Gum, W. of
B. Oak, undngth Spruce &c

West Corrected between Sec. 26 & 35
21.66 a Sugar 20 mi. dist.
40.68 Set of Sec. post at average dist. from which
a Beech 11 mi. dist. by N 29° 25 lks. dist. of
a No. 16 " " " N 89° 20 " "
81.37 to Sec. Corner.

North Between Sec. 26 & 27
34.50 a B. Gum 20 mi. dist.
40.00 Set of Sec. post, from which
a Beech 8 mi. dist. by N 55° 10 lks. dist. of
a No. 10 " " " N 64° E 7 " "
62.02 a Beech 25 " " " " " "
80.00 Set post, Cor. to Sec. 22, 23, 26 & 27, from which
a Maple 20 mi. dist. by N 44° W. 20 lks. dist. of
a Beech 25 " " " N 17° E 35 " "
This mile over a swamp, Beech, Maple,
Sugar &c.

East On Rand^m between Sec. 23 & 26
37.05 a Brook 12 lks. wide Course S.E.
40.00 Set temp^y. of Sec. post
61.70 a Brook 8 lks. wide Course S.W.
81.25 Intersected the N & S. line 25 lks. S. of post
Over level rich land, Beech, Oak, Gum,
Poplar &c. undngth Spruce.

St. R. & E. 2nd Mer. Indiana

West Connected between Sec. 23 & 26

- 1.38 a Beech 25 mi. dist.
 40.63 at q^r. Sec. post, at average dist. from which
 a Beech 12 mi. dist. bearing S 35 E 17 l^{hs}. dist. of
 a Do. 15 " " " N 80 W 12 " "
 81.25 to Sec. Corner
-

North Between Sec. 22 & 23

- 36.85 a W. Oak 28 mi. dist.
 40.00 at q^r. Sec. post, from which
 a W. Oak 20 mi. dist. bearing S 75 E 50 l^{hs}. dist. of
 a W. Gum 20 " " " N 74 W 17 " "
 62.29 a W. Gum 20 " " "
 80.00 at post Cor. to Sec. 14, 15, 22 & 23, from which
 a Hickory 20 mi. diam. bearing N 80 E 7 l^{hs}. dist. of
 a Do. 17 " " " S 73 W 35 " "
 Over level thin land, timber W. Oak, Beech
 Hickory, Gum &c
-

East On Rand. between Sec. 23 & 14

- 40.00 at temp^t. q^r. Sec. post
 81.20 intersected the S. line 5 l^{hs}. S. of post
 Land timber &c. Same as on the last mile
-

West Connected between Sec. 14 & 23

- 40.60 at q^r. Sec. post at average dist. from which
 a Beech 22 mi. dist. bearing S 42 W 32 l^{hs}. dist. of
 a Do. 12 " " " S 9 W 17 " "
 41.25 a Beech 30 " " "
 81.20 to Sec. Corner
-

North Between Sec. 14 & 15

- 14.63 a Hickory 18 mi. dist.
 27.70 a Brook 10 l^{hs}. wide Course W.
 40.00 at q^r. Sec. post, from which
 a Beech 12 mi. dist. bearing S 76 E 12 l^{hs}. dist. of

17

St. R. W. E. 2nd Mer. Indiana

ch. 2nd 1/4

81.00 a P. Gum 28 in. dia. beam N 76 W 20 lks. dist. of
 40.00 Set post Cor. to Sect. 10, 11, 14 & 15, from which
 a S. Gum 28 in. dia. beam S 60 E 31 lks. dist. of
 a W. Oak 17 " " " N 51 W 4 " "
 Over level thin land, timber Beech, W. Oak
 Hickory, P. S. Gum &c.

East On Rand^m. between Sect. 11 & 14

40.00 Set temp^y. of Sec. post.
 81.33 Intersected the S. of S. line 13 lks. S. of post
 Land timber &c. same as on the last mile

West Corrected between Sect. 11 & 14

0.45 a Sweet Gum 25 in. dia.
 40.66 1/2 Set of Sec. post at average dist. from which
 a P. Gum 18 in. dia. beam N 39 E 12 lks. dist. of
 a S. Gum 28 " " " S 44 W 37 " "
 81.33 to Sec. Corner. Nov. 26th 1806

North Between Sect. 11 & 12

22.00 a Beech 20 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 15 in. dia. beam S 61 E 13 lks. dist. of
 a P. Gum 11 " " " N 50 W 26 " "
 79.00 a P. Gum 25 " "
 80.00 Set post Cor. to Sect. 1, 2, 11 & 12, from which
 a Beech 12 in. dia. beam N 45 E 16 lks. dist. of
 a P. Gum 18 " " " S 62 W 32 " "
 Over level land, timber Beech, Oak, Gum
 W. P. Oak, sanding^g Spruce

East On Rand^m. between Sect. 1 & 12

40.00 Set temp^y. of Sec. post
 79.20 Intersected the E. boundary 54 lks. S. of post
 Over level thin land, timber Beech, Gum,
 Maple &c. sanding^g. Beech & Maple

Sec. N. R. W. E. T. Mer. Indiana

ch. l. l. k.

West Connected between Sec. 1 & 12

39.20 a Gum 20 mi. dist.

39.60 At q. Sec. post at average dist. from which
a Beech 18 mi. dist. by 110 E 6 l. k. dist. of
a Do. 12 " " " 123 1/2 W 6 " "

79.20 to Sec. Corner.

North Between Sec. 1 & 2

0.67 a Beech 19 mi. dist.

40.00 At q. Sec. post, from which
a Beech 7 mi. dist. by 160 W 16 l. k. dist. of
a Poplar 60 " " " 186 E 22 " "

43.05 a Beech 28 " "

54.50 a Creek 50 l. k. wide Course W.

84.69 Intersected N. boundary 79 l. k. E. of post
At post Cor. to Sec. 1 & 2, from which
a Beech 11 mi. dist. by 167 W 21 l. k. dist. of
a Do. 30 " " " 181 E 18 " "
Land timber &c. Same as on last mile
November 27th 1806

North Between Sec. 33 & 34

8.62 a Beech 23 mi. dist.

40.00 At q. Sec. post, from which
a Beech 8 mi. dist. by 174 W 10 l. k. dist. of
a S. Gum 28 " " " 161 1/2 E 20 " "

40.20 a W. Oak 30 " "

80.00 At post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 18 mi. dist. by 179 E 30 l. k. dist. of
a W. Oak 20 " " " 154 W 24 " "
Over level land, timber Beech & W. Oak &c.

East On Rand 9^m between Sec. 27 & 34

40.00 At temp. q. Sec. post

43.40 a Brook 30 l. k. wide Course S. E.

80.28 Intersected the N. & S. line at the post

19

West N.W.E. 2^d Mer. Indiana
ch^lky Land timber &c. Same as on the last mile

West Corrected between Secs. 27 & 34
1.20 a Beech 20 mi. dist.
40.14 at gr. Sec. post, at average dist. from which
a Beech 20 mi. dist. bear S 84° 14' 44" W, dist. of
a do. 10 " " " N 66° E 11 " "
80.28 to Sec. Corner November 28th 1806

North Between Secs. 27 & 28
40.00 at gr. Sec. post, from which
a Beech 20 mi. dist. bear N 61° 19' 25" W, dist. of
a do. 20 " " " " S 25° W 17 " "
42.26 a Beech 20 " "
55.12 a do. 25 " "
80.00 at post Cor. to Secs. 21, 22, 27 & 28, from which
a Q. Gum 18 mi. dist. bear N 87° 11' 20" W, dist. of
a Maple 8 " " " " N 78° E 30 " "
Over level land, timber, Beech & W. Oak
Soil thin

East On Rand^m. between Secs. 27 & 27
40.00 at temp. gr. Sec. post
80.31 intersected the N & S line at the post
Land timber &c. Same as on the last mile

West Corrected between Secs. 22 & 27
0.25 a Sassafras 20 mi. dist.
40.15 at gr. Sec. post at average dist. from which
a Beech 18 mi. dist. bear N 64° E 20" W, dist. of
a do. 20 " " " " South 4 " "
44.30 a Beech 16 " "
80.31 to Sec. Corner.

North Between Secs. 21 & 22
10.00 a Maple 20 mi. dist.

East - R & E, 2nd Mer. IndianaCh. 16th

- 35.50 a Mr. Oak 20 mi. dist.
 40.00 at gr. Sec. post, from which
 a Mr. Oak 20 mi. dist. by way N 64 E 28th dist. of
 a Poplar 16 " " " S 82 W 22 " "
 75.50 at Brook 10th wide Cr. S. M.
 80.00 at post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 11 mi. dist. by way N 88 E 16th dist. of
 a Gum 24 " " " S 51 W 21 " "
 Land timber &c. Same as on last mile
 November 29th 1806

East On Rand^m between Sec. 15 & 22

- 14.50 a Brook 10th wide Comae S. W.
 40.00 at temp. gr. Sec. post
 80.71 Intersected the N & S. line 30th S. off post
 Land timber &c. Same as on last mile

West Corrected between Sec. 15 & 22

- 40.35 at gr. Sec. post at average dist. from which
 a Beech 17 mi. dist. by way N 84 W 17th dist. of
 a Do. 15 " " " S 70 E 13 " "
 44.54 a Sugar 18 " "
 80.71 to Sec. Corner

North Between Sec. 15 & 16

- 2.12 a Beech 10 mi. dist.
 26.00 a Do. 30 " "
 40.00 at gr. Sec. post, from which
 a Beech 25 mi. dist. by way N 76 E 31th dist. of
 a Do. 20 " " " S 33 W 41 " "
 62.30 a Brook 6th wide Comae W.
 80.00 at post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 18 mi. dist. by way N 66 E 35th dist. of
 a Do. 20 " " " N 66 W 33 " "
 Over high land, Beech, 12 & Mr. Oak &c. Soil thin

21

T6N N10E. 2nd Mer. Indiana

chth 1/2

East On Rand^m. between Secs. 10 & 15

40.00 Set temp^y. of Sec. post

80.71 intersected the N & S. line 33 lks. S. of post
Sand timber &c. same as on last mile

West Corrected between Secs. 10 & 15

40.35 Set of Sec. post at average dist. from which
a Beech 10 m. dist. by N 7 E 31 lks. dist. of
a do. 16 " " " N 11 E 34 " "

44.90 at Beech 25 " "

80.71 to Sec. Corner

North Between Secs. 10 & 11

15.50 a Beech 25 m. dist.

40.00 Set of Sec. post, from which
a Beech 8 m. dist. by N 77 N 16 lks. dist. of
a do. 20 " " " S 34 E 5 " "

44.00 a Beech 25 " "

47.00 a Brook 10 lks. wide Course W.

80.00 Set post Cor. to Secs. 2, 3, 10 & 11, from which
a Beech 15 m. dist. by N 13 E 21 lks. dist. of
a do. 25 " " " S 5 E 11 " "
Sand timber &c. same as on last mile

East On Rand^m. between Secs. 2 & 11

40.00 Set temp^y. of Sec. post

81.57 intersected the N & S. line at the post
Sand timber &c. same as on last mile

West Corrected between Secs. 2 & 11

39.13 a Sugar 20 m. dist.

40.78 Set of Sec. post at average dist. from which
a Beech 20 m. dist. by N 5 E 23 lks. dist. of
a do. 8 " " " S 25 N 30 " "

81.57 to Sec. Corner

22 West R10 E. 2nd Mer. Indiana

ch² lth

North Between Secs. 9 & 10

9.50 a Creek 50 lth. wide C. S. W. Rapid

17.00 Same 50 " " " S. E.

31.00 Same 50 " " " S. W

40.00 Set of Sec. post, from which

a Beech 12 m. dist. bear N 75 E 21 lth. dist.

a do. 6 " " " 160 W 10 " "

42.33 a Beech 25 " "

78.65 a do 36 " "

80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which

a Beech 15 m. dist. bear N 44 W 57 lth. dist.

a do 40 " " " 144 E 39 " "

First 1/2 mile rich bottom Walnut, Beech &c

last 1/2 high Beech land, Beech, B & W.

Oak &c. under ^{to} Spruce

East On Rand^m. between Secs. 3 & 10

39.65 a Brook 30 lth. wide Course S.

40.00 Set temp^y. of Sec. post

49.00 a Brook 36 lth. wide C. S. W.

81.07 Intersected N & S line 20 lth. S. of post

Over high rich land, Beech, Poplar, Ash

Elm, Cherry, B & W. Walnut, B & W. Oak &c.

under ^{to} Spruce

West Corrected between Secs. 3 & 10

*40.53 Set of Sec. post at average dist. from which

an Ironwood 8 m. dist. bear N 64 W 15 lth. dist.

a Red Elm 10 " " " 145 E 25 " "

*21.90 a Bassafras 18 " "

81.07 to Sec. Corner November 30th 1806

North Between Secs. 32 & 33

39.90 a Beech 18 m. dist.

40.00 Set of Sec. post, from which

a Beech 18 m. dist. bear 179 E 47 lth. dist.

St. RWE. 2nd Mer. Indiana 23
Ch. 1st

a Beech 20 mi. dist. from N 60° W 21st Ch. dist. of
80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
a Beech 15 mi. dist. from N 67° W 34th Ch. dist. of
a Do. 19 " " " N 67° E 20 " "
Level poor land Beech, W. Oak &c.

East On Rand^m. between Sec. 28 & 33
40.00 Set temp^y. of Sec. post
80.13 Intersected the N & S line N 1/4 S. of post
Over level land Soil thin, Beech, W. Oak &c.

West Connected between Sec. 28 & 33
40.06 Set of Sec. post at average dist. from which
a Beech 18 mi. dist. from S 21° W 20th Ch. dist. of
a White — 20 " " " N 46° E 20 " "
43.58 an Elm 16 " "
80.13 to Sec. Corner.

North Between Sec. 28 & 29
10.62 a Beech 25 mi. dist.
33.32 a P. Gum 17 " "
40.00 Set of Sec. post, from which
a W. Oak 20 mi. dist. from N 15° W 20th Ch. dist. of
a Beech 18 " " " S 23° E 24 " "
80.00 Set post Cor. to Sec. 20, 21, 28 & 29 from which
a W. Oak 30 mi. dist. from N 75° E 50th Ch. dist. of
a P. Gum 20 " " " N 75° W 21 " "
This (mile) Swamp Beech, W. Oak &c. Soil thin

East On Rand^m. between Sec. 21 & 28
40.00 Set temp^y. of Sec. post
80.28 Intersected the N & S line at the post
First 1/2 mile Swamp last 1/2 fallen timber

West Connected between Sec. 21 & 28
39.31 a P. Gum 45 mi. dist.

24

Fort RICE, 2nd Mer. Indiana

ch. l. l. l.

40.14 Set of Sec. post at average dist. from which
a Beech 18 in. dia. bear N 17° 34' l. l. dist. of
a do. 18 " " " N 23° E 37 " "
80.28 to Sec. Corner.

North Between Sec. 20 & 21

14.65 a Red Elm 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bear N 58° E 18 l. l. dist. of
a do. 17 " " " S 59° W 36 " "

63.19 a S. Gum 25 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Poplar 30 in. dia. bear S 21° W 34 l. l. dist. of
a Beech 15 " " " S 27° E 35 " "
Over rich land, high, Beech, W. R. Oak &c.
underg^g Spruce &c.

East On Land^m between Sec. 16 & 21

40.00 Set temp. of Sec. post

63.00 a Brook 10 l. l. wide Cor. sec. N. N.

80.32 Intersected the N & S line 29 l. l. S. of post
Land timber &c. same as on last mile

West Connected between Sec. 16 & 21

20.00 a Beech 18 in. dia.

40.16 Set of Sec. post at average dist. from which
a Beech 18 in. dia. bear N 62° W 34 l. l. dist. of
a Cherry 18 " " " S 6° E 23 " "

80.32 to Sec. Corner.

North Between Sec. 16 & 17

15.00 a Brook 10 l. l. wide Cor. sec. S 10° W

16.08 an Elm 12 in. dia.

39.62 a Passafay 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 17 in. dia. bear N 32° E 4 l. l. dist. of

West - R 10 E. 2nd Mer. Indiana 25 ch. lks

80.00 a Sassafras 15 in. dia. bray S 57° 17' 17 lks. dist.
at post Conto Sec. 8, 9, 16 & 17, from which
a Beech 25 in. dia. bray N 89° 17' 29 lks. dist. of
a log 30 " " " N 89° E 23 " "
Land timber &c. same as on last mile

East On Rand. between Sec. 9 & 10

40.00 at temp. of Sec. post
79.00 a Creek 50 lks. wide Course S. 25° W
80.40 Intersected the N & S. line 9 lks. S. of post
Land timber &c. same as on the last mile

West Connected between Sec. 9 & 10

39.00 a Beech 20 in. dia.
40.20 at of Sec. post at average dist. from which
a Cherry 20 in. dia. bray South 2 lks. dist. of
a Beech 14 " " " N 82° W 15 " "
80.40 to Sec. Corner.

North Between Sec. 8 & 9

3.32 a Hickory 17 in. dia.
40.00 at of Sec. post, from which
a Beech 20 in. dia. bray S 82° E 26 lks. dist. of
a Hickory 20 " " " N 80° W 23 " "
46.20 a Beech 19 " "
72.77 a Sugar 50 " "
80.00 at post Conto Sec. 4, 5, 8 & 9, from which
a Beech 16 in. dia. bray N 73° W 32 lks. dist. of
a Sugar 25 " " " S 54° E 19 " "
Land timber &c. same as on the last mile

East On Rand. between Sec. 4 & 9

40.00 at temp. of Sec. post
80.32 Intersected N & S. line at the post
Land timber &c. same as on last mile

T. C. N. R. N. E. 2. Mer. Indiana

ch. 1. 1/2

Midt Corrected between Sec. 1. 459

40.16 Set of Sec. post at average dist. from which
 an Elm 16 m. dist. by N 15° W 4 km. dist. of
 a Sugar 20 " " " N 83° E 29 " "

44.28 a Sugar 20 " "

80.32 to Sec. Corner. Dec. 2. 1876

North Between Sec. 31 & 32

39.00 a Brook 10 km. wide E. W.

40.00 at Beech 20 m. dist. of Sec. Cor. from which
 a Beech 23 m. dist. by N 30° E 32 km. dist. of
 a B. Gum 16 " " " N 35° W 48 " "

40.54 a Beech 26 " "

76.70 a do. 12 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 15 m. dist. by N 74° E 8 km. dist. of
 a do. 12 " " " N 30° W 20 " "

Over high rich land, timber Beech, Poplar,
 B. & S. Gum, W. & B. Oak &c. under ^{the} Spruce, &c.
 very thickly.

East On Rand. between Sec. 29 & 32

40.00 by temp. of Sec. post

80.41 Intersected the N & S line at the post
 Over level land, Beech & W. Oak, under ^{the} Beech

West Corrected between Sec. 29 & 32

1.00 a Beech 20 m. dist.

40.20 Set of Sec. post at average dist. from which
 a Beech 12 m. dist. by N 58° E 17 km. dist. of
 a do. 20 " " " N 41° W 11 " "

80.41 to Sec. Corner

West Between Sec. 30 & 31

10.28 a W. Oak 18 m. dist.

40.00 Set of Sec. post, from which

27

East N.W.E. 2nd Mer. Indiana

ch^l lks

at Beech 15 mi. dist. from S 51 E 24 lks. dist. of
 a Do. 18 " " " N 83 1/2 W 19 " "
 80.81 intersected W. boundary 79 lks. S. of post
 Set post Cor. to Sec. 30 & 31, from which
 at Beech 20 mi. dist. from S 44 W 39 lks. dist. of
 a Oak 30 " " " S 24 E 42 " "
 Level land, Beech, 12 & S. Gum, undgth Spruce

North Between Sec. 29 & 30

6.10 at Beech 17 mi. dist.
 40.00 Set q. Sec. post, from which
 at Beech 18 mi. dist. from N 31 W 24 lks. dist. of
 a B. Gum 20 " " " S 18 W 8 " "
 80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
 at Beech 20 mi. dist. from West 13 lks. dist. of
 a Sugar 11 " " " S 43 E 27 " "
 Over level land, Beech, Gum, 13 & W. Oak,
 undgth Spruce.

East On Rand^m between Sec. 20 & 29

40.00 Set temp^y q. Sec. post
 80.65 intersected thro' of S. line at the post
 Sand timber &c. Same as on last mile

West Corrected between Sec. 20 & 29

40.32 Set q. Sec. post at average dist. from which
 at Beech 18 mi. dist. from S 51 E 32 lks. dist. of
 a Do. 20 " " " N 75 W 20 " "
 42.00 at Beech 20 " "
 80.65 to Sec. Corner

West Between Sec. 19 & 30

9.33 at Beech 20 mi. dist.
 40.00 Set q. Sec. post, from which
 at Beech 9 mi. dist. from N 36 W 4 lks. dist. of
 a Do. 25 " " " S 56 E 38 " "

Post RWE. 2^d Mer. Indiana

ch. lks

64.20 a Creek 75 lks, wide Corner S. W.

81.36 Intersected N. boundary 27 lks. S. of post
Set post Cor. to Sec. 19 & 30 from which
a Beech 25 mi. dist. by way N 9 E 20 lks. dist. of
a do. 30 " " " South 36 " "
Over high land, Beech, Poplar, Ash, Gum &c.
undergth Spruce &c. Dec. 6th 1806

North Between Sec. 19 & 20

0.50 a Angar 25 mi. dist.

3.80 a Beech 60 " "

40.00 Set q. Sec. post. from which
a Beech 20 mi. dist. by way N 50 E 33 lks. dist. of
a do. 20 " " " S 30 W 30 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 20 mi. dist. by way S 83 E 18 lks. dist. of
a do. 20 " " " S 17 W 5 " "
Sand hills, Beech, Ash, Gum, Angar &c.
undergth Spruce & Beech

East On Rand. between Sec. 17 & 20

40.00 Set temp. q. Sec. post

51.00 a Creek 60 lks, wide E. S. W.

80.48 Intersected the st of S. line at post
Sand timber &c. Same as on last mile

West Corrected between Sec. 17 & 20

40.24 Set q. Sec. post at average thick from which
a Ash 30 mi. dist. by way S 63 E 13 lks. dist. of
a Gum 20 " " " N 85 W 9 " "

79.28 a Poplar 48 " "

80.48 to Sec. corner

West Between Sec. 18 & 19

0.80 a Beech 11 mi. dist.

29.18 a do. 40 " "

St. N. N. E. 2nd Mer. Indiana 29

ch. 2nd

- 40.00 Set of Sec. post, from which
a Beech 20 mi. dist. bearing S 59 E 5th. dist. of
a do. 20 " " " N 40 W 25 " "
81.40 Intersected N. boundary 80th. S. of post
At post Cor. to Sec. 18 & 19 from which
a Beech 20 mi. dist. bearing S 56 E 23th. dist. of
a S. Gum 16 " " " S 74 W 21 " "
Level land, Beech, Ash, Gum, Sugar, &c.
undergth. Spruce & Beech very thick

North Between Sec. 17 & 18

- 2.77 a Poplar 20 mi. dist.
35.40 a Brook 10th. wide Course S. W.
40.00 Set of Sec. post, from which
a Beech 12 mi. dist. bearing S 13 W 16th. dist. of
a do. 25 " " " S 23 E 16 " "
44.03 a Beech 12 " "
80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 20 mi. dist. bearing S 59 W 10th. dist. of
a Hickory 18 " " " S 26 E 21 " "
Over highland, timber B. & W. Oak, Beech, Ash,
Sugar, Gum &c. undergth. Spruce, birch &c.

East On Rand^m. between Sec. 8 & 17

- 40.00 Set temp. of Sec. post
80.32 Intersected N. & S. line 30th. S. of post
Land level Beech, Blue Ash, Poplar, Gum
B. & W. - &c.

West Connected between Sec. 8 & 17

- 39.80 a S. Gum 30 mi. dist.
40.16 Set of Sec. post, from which
a Beech 8 mi. dist. bearing S 75 E 4th. dist. of
a do. 29 " " " S 74 W 13 " "
80.32 to Sec. Corner

Sect R10E, 2^d Mer. Indiana

chth

West Between Sect. 7 & 18

11.54 a W. Oak 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 20 in. dia. (bray) N 64 W 29 lks. dist. of
an Ash 18 " " " S 56 E 26 " "

81.07 Intersected W. boundary 95 lks. S. of post
Set post Cor. to Sect. 7 & 17, from which
a Beech 15 in. dia. (bray) N 68 E 15 lks. dist. of
a Do. 20 " " " S 75 W 29 " "
Over high land, Beech, Poplar, Ash, B. & W. Oak &c.

North Between Sect. 7 & 8

16.64 a Beech 25 in. dia.

35.00 a Brook 10 lks. wide Course S. W.

40.00 Set of Sec. post, from which
a Beech 8 in. dia. (bray) N 78 W 5 lks. dist. of
a Do. 20 " " " S 31 E 27 " "

63.50 a Stream 150 lks. wide Cr. W. Rapid Current

80.00 Set post Cor. to Sect. 5, 6, 7 & 8, from which
a Sugar 18 in. dia. (bray) N 88 E 8 lks. dist. of
a Do. 17 " " " S 70 W 35 " "
Timber Sugar, Poplar &c. under Spruce

East On Rand^m. between Sect. 5 & 8

8.00 a Brook 17 lks. wide Cr. S.

39.50 a Creek 150 " " " S. W.

40.00 Set temp. of Sec. post

47.00 Same Stream 175 lks. wide Cr. N 70 W

66.50 Same Stream 150 " " " S. W.

80.27 Intersected N & S. line at the post
Over hilly land, Beech, Sugar &c.

West Connected between Sect. 5 & 8

20.00 a Beech 20 in. dia.

40.14 Set of Sec. post at average dist. from which
a Hickory 18 in. dia. (bray) S 35 W. 20 lks. dist. of

31

Set N 10 E. 2^d Mer. Indiana
Ch. L. L. h. a Beech 20 in. dia. bray East 13 l. h. dist
80.27 to Sec. Corner

West Between Sec. 6 & 7
5.40 a Poplar 45 in. dia.
40.00 Set q. Sec. post, from which
a Beech 26 in. dia. bray S 42 E 7 l. h. dist. of
a Do. 16 " " " N 17 W 20 " "
82.42 Intersected N. boundary 82 l. h. S. of post
Set post cor. to Sec. 6 & 7, from which
a Beech 20 in. dia. bray S 61 E 7 l. h. dist. of
a Do. 22 " " " N 70 W 32 " "
First 1/2 mile broken - last 1/2 mile level Beech,
Sugar & 20 W. Oak

North Between Sec. 5 & 6
6.27 a Beech 18 in. dia.
40.00 Set q. Sec. post, from which
a Maple 14 in. dia. bray S 75 E 15 l. h. dist. of
a Do. 16 " " " S 77 W 37 " "
83.31 Intersected N. boundary 321 l. h. N. of post
Set post cor. to Sec. 5 & 6, from which
a Hickory 20 in. dia. bray N 14 W 10 l. h. dist. of
a Poplar 17 " " " S 18 W 18 " "
Over level land, Beech, Sugar etc. and gth Spruce

North Between Sec. 4 & 5
2.50 a Sugar 29 in. dia.
22.80 a Stream 20 l. h. wide course S. W.
29.76 a Sugar 20 in. dia.
40.00 Set q. Sec. post, from which
a Beech 20 in. dia. bray S 22 E 40 l. h. dist. of
a Dogwood 10 " " " N 79 W 9 " "
83.75 Intersected the N. boundary 254 l. h. N. of post
Set post cor. to Sec. 4 & 5, from which
a Beech 20 in. dia. bray N 74 W 7 l. h. dist. of

Post R10 E. 2nd Mer. Indiana
ch. 2. 1/2 mi

a Beech 16 in. dia. bears S 85 E 14 lbs. dist. 8
over high Land Beech, Ash, W. B. Oak Sugar
undergrowth Spruce &c.

North Between Sect. 3 & 4

3.03 a Beech 25 in. dia.

27.50 a Brook 8 lbs. wide course N. & W.

40.00 Set of Sec. post, from which

a Lym 20 in. dia. bears S 82 E 25 lbs. dist. 8

a Poplar 20 " " " N 67 W 27 " "

60.00 a Creek 35 lbs. wide course S. W.

84.37 Intersected the N. boundary 227 lbs. W. of post.

Set post Cor. to Sect. 3 & 4, from which

a Beech 20 in. dia. bears N 39 E 11 lbs. dist. 4

a W. 17 " " " S 30 W 29 " "

Land timber &c. Same as last mile

North Between Sect. 2 & 3

3.50 a Sugar 20 in. dia.

20.00 a Creek 65 lbs. wide course W.

40.00 Set of Sec. post, from which

a Beech 20 in. dia. bears N 78 W 30 lbs. dist. 5

a W. 18 " " " N 76 E 12 " "

40.15 a Beech 12 " " "

84.60 Intersected N. boundary 84 lbs. W. of post

Set post Cor. to Sect. 2 & 3, from which

a Beech 30 in. dia. bears N 34 E 19 lbs. dist. 5

a W. 15 " " " S 28 E 9 " "

Over high land, timber Beech W. B. Oak &c.

undergth Spruce &c.

Surveyed in 1876, by

John Brownson,

Deputy Surveyor

I certify that the foregoing transcript of field notes of
Township N^o. 6 North, Range N^o. 10 East 2nd Mer. Indiana
has been compared with the original notes in this office,
and found to be correct.

Surveyor General's Office
Cincinnati, Oct. 22, 1842

William Johnston
Sur. Genl.